



PRODUCT DATA SHEET

PRODUCT: H₂S ZERO

SERIES 300
C A T A L Y S T

**USE: H₂S AND MERCAPTON REMOVAL
FROM GAS STREAMS**

**COMPOSITION: SPECIFICALLY FORMULATED, AMORPHOUS
NON-CARRIER SUPPORTED MIXED
METAL OXIDE ABSORBANT CATALYST WITH
HIGH SURFACE AREA**

TYPICAL PROPERTIES:

APPEARANCE: REDDISH COLORATION

FORM: GRANULAR SHAPE, TYPICALLY 4 TO 30 MESH

LOADING DENSITY: TYPICALLY 45 - 49 LBS./FT³

LOADING METHOD: SOCK LOADING

BULK CRUSHING STRENGTH: < 0.1 WT.%

HANDLING ATTRITION: < 0.01 WT.%

OPERATING TEMPERATURE RANGE: 20 TO 200 DEGREES FARENHEIGHT

PACKAGING: 2,000 LB. ENHANCED SAFETY SUPER SACKS

The H2S ZERO logo is centered within a decorative horizontal band. The band consists of several parallel green lines of varying lengths, creating a sense of motion or a stylized underline. The logo itself is in the same blue and white color scheme as the top of the page.

H₂S ZERO